EIJS
POLICY BRIEF
September 2024

Japan's Green Energy Strategy

1. Introduction

Following the "Japan's Green Transformation and Its Relationship with Europe", the EIJS Policy Brief of August 2024, this brief explores Japan's electric power energy strategy in greater depth from the perspective of the service ecosystem[1], focusing on current and challenges.

Japan's electricity supply has traditionally been managed by an integrated system of generation, transmission, and distribution by nine regional private electric power companies since 1951 (later expanded to ten with the inclusion of Okinawa Electric Power). However, since 1995, gradual electricity system reforms have led to the liberalization of generation and retail sectors, as well as the separation of the generation and transmission divisions. Due to the liberalization of generation and retail, many companies have entered the market, with 698 retailers and 942 generators as of December 2020. The current basic structure of electricity supply is: "fuel-producing countries → power generators → transmission and distribution companies → retailers → users (including businesses and individuals)."

Most new entrants are small-scale, and as of April 2024, the top performer, JERA (a joint venture equally owned by Tokyo Electric Power Fuel & Power and Chubu Electric Power), generated 14,902,594 thousand kW, accounting for about 30% of the total, followed by Kansai Electric Power Company (KEPCO) with 8,265,674 thousand kW, about 20% (ANRE, 2024).

1 The concept of a service ecosystem was proposed by Lusch&Vargo et.al in 2014 within the context of service research. It views the mechanism through which value co-creation emerges in services as an ecosystem. Instead of the traditional dyadic relationship between service providers and recipients, it is based on a network structure comprising three layers: macro, meso, and micro. The actors operating within this structure engage in the provision and integration of resources, with the assumption that autonomous institutions exist to coordinate the activities across these layers.

According to the Agency for Natural Resources and Energy, the total power generated by electric utilities in 2022 was 834.8 billion kWh[2], with thermal power accounting for about 80%, followed by hydropower (including pumped storage[3]) at 10%, new energy (solar, wind, geothermal, biomass) at 7%, and nuclear power, which has sharply declined since the Great East Japan Earthquake, at 6% (

THE EUROPEAN INSTITUTE

utilities' transmission and distribution divisions, ensure that power supply to homes and businesses is not abruptly cut off. However, this remains a major concern for citizens who lead highly electrified daily lives.

There are other concerns as well. Many installed solar panels have been scattered by typhoons and heavy rains, and landslides have occurred by

EIJS
THE EUROPEAN INSTITUTE

5. Technical Challenges of Hydrogen and Ammonia Power Generation

Ammonia, with a boiling point of minus 33 degrees Celsius, is easier to liquefy and transport compared to hydrogen, which has a boiling point of minus 253 degrees Celsius. Although ammonia is widely used in agriculture as fertilizer, only about 10% of the 200 million tons produced is traded globally, with most being consumed locally. It also burns less readily than natural gas (with a slower combustion rate), and improper combustion can result in high concentrations of nitrogen oxides (NOx), posing technical challenges.

Hydrogen faces challenges such as high costs, explosion risks, and stable supply chain. While hydrogen power generation itself does not emit carbon dioxide, the production of hydrogen fuel requires energy. Hydrogen can be categorized into several categories.

The major three are the followings. The green hydrogen (produced using renewable energy and uses the carbon dioxide produced in the manufacturing process for industrial purposes), gray hydrogen (produced using fossil fuels), and blue hydrogen which paired with CCS[10] and CCUS[11]. These technologies can capture and utilize or store CO2 emissions from the production process. Turquoise hydrogen, which has both of green and blue characteristics, also exists. It uses a process called methane pyrolysis method, which is produced by cracking methane, a natural gas, into hydrogen and solid carbon (carbon black).

As the byproduct, carbon black, can be widely used in industrial applications such as automobile tires, coatings, and batteries, commercial-scale plants already exist in the world. Both green and blue hydrogen are currently expensive, and their future cost reduction heavily relies on technological advancements. In April 2023, the Japanese government

[10] CCS is the Carbon Capture and Storage.
[11] CCUS is the Carbon Capture Utilization and Storage.

announced the ‘Basic Hydrogen Strategy’ aiming for hydrogen to account for one-third of total power generation by 2030, although it is expected that hydrogen costs will still be more than double those of LNG even at that time. Recently, there have been active developments in the hydrogen sector, such as a partnership between seven Japanese companies, including Imabari Shipbuilding, Japan's largest shipbuilder, and Nippon Yusen, the largest shipping company, to develop transport vessels for underground CO2 storage.

In June 2024, Japan and the European Union agreed to create a joint roadmap for public-private cooperation to promote hydrogen adoption (METI, 2024). The roadmap aims to establish international standards by sharing information necessary for setting safety requirements for production equipment and transport technologies by around 2040. This includes starting with information sharing on water electrolysis devices that produce hydrogen using renewable energy and liquefied transport technologies that efficiently transport hydrogen. Japanese agencies, such as NEDO and JOGMEC, have signed memorandums of understanding with EU governmental agencies, while in the private sector, Kawasaki Heavy Industries and Germany's Daimler Truck Holding have signed cooperation documents in the hydrogen field.

6. Conclusion

The realization of both hydrogen and ammonia power generation heavily depends on technological advancements, making technology the primary focus. However, the launch of a new industry that encompasses the complex relationships of multiple actors requires interpreting a more complex model. This can be seen as a service ecosystem influenced by cultural and legal histories, social norms, inter-company relationships, and individual ethics. From this perspective, it is meaningful to consider the institutions that govern macro, meso, and micro levels.

EIJS

https://www.enecho.meti.go.jp/en/

JERA Co., Inc.: https://www.jera.co.jp/en/

JAERO: https://www.jaero.or.jp/english/

Kansai Electric Power Co., Inc. (Kepco) :

https://www.kepco.co.jp/english/

Ministry of the Environment(MOE):

https://www.env.go.jp/en/index.html

Ministry of Economy, Trade and Industry(METI):

https://www.meti.go.jp/english/index.html

Powering Past Coal Alliance: https://poweringpastcoal.org

The Institute of Applied Energy: https://www.iae.or.jp/e/

Dr. Keiko Toya,

Professor, Graduate School of Global Business, Meiji University, Japan

(i.ktoya@gmail.com, ktoya@meiji.ac.jp)

Visiting professor, European Institute of Japanese Studies, Stockholm School of Economics

https://www.hhs.se/en/Research/Institutes/EIJS/

https://www.hhs.se/en/research/centers/center-for-asian-studies/